PERITONEAL DIALYSIS CLINICAL PERFORMANCE MEASURES DATA COLLECTION FORM 2005

[Before completing please read instructions at the bottom of this page and on pages 5 and 6]

PATIENT IDENTIFICATION	MAKE CORRECTIONS TO PATIENT INFORMATION ON LABEL IN THE SPACE BELOW				
Place Patient Data Label Here					
12. If this patient is unknown or was not dialyzed in the facility at any time during OCT 2004-MAR 2005 return the blank form to the Network.					
13. Patient's Ethnicity (Check appropriate box). ☐ non-Hispanic ☐ Hispanic, Mexican American (Chicano) ☐ Hispanic, Puerto Rican ☐ Hispanic, Cuban American ☐ Hispanic, Other ☐ Unknown					
14a. Patient's height (MUST COMPLETE):inches (only for patients < 18 years old, provide date when height was 14b. Patient's weight (abdomen empty) (first clinic visit weight af	measured: / /) (mm) (dd) (yyyy)				
15. Did patient have limb amputation(s) prior to Mar. 31, 2005:					
16. Has the patient ever been diagnosed with any type of diabetes? ☐ Yes (go to 17) ☐ No (go to 18) ☐ Unknown (go to 18)					
17. If question 16 was answered YES , was the patient taking medications to control the diabetes during the study period? Yes \(\subseteq \text{No} \subseteq \text{Unknown} \) Unknown If YES , was the patient using insulin during the study period? \(\subseteq \text{Yes} \subseteq \text{No} \subseteq \text{Unknown} \)					
Individual Completing Form (Please print):					
First name: Last name:					
Phone number: (Fax number	: (

INSTRUCTIONS FOR COMPLETING THE PERITONEAL DIALYSIS CLINICAL PERFORMANCE MEASURES DATA COLLECTION FORM 2005

The label on the top left side of this form contains the following patient identifying information (#'s 1-11). If the information is incorrect make corrections to the right of the label.

- 1. LAST and first name.
- 3. SOCIAL Security Number (SSN).
- 5. GENDER (1=Male; 2=Female).
- 7. PRIMARY cause of renal failure by CMS-2728 code.
- ESRD Network number.Do not make corrections to this item.
- 2. DATE of birth (DOB) as MM/DD/YYYY.
- 4. Medicare Number.
- 6. RACE (1=American Indian/Alaska Native; 2=Asian; 3=Black; 4=White; 5=Unknown; 6=Pacific Islander; 7=Mid East Arabian; 8=Indian Subcontinent; 9=Other/Multiracial).
- 8. DATE, as MM/DD/YYYY, that the patient began a regular course of dialysis.
- 10. Facility's Medicare provider number.
- 11. The most RECENT date this patient returned to peritoneal dialysis following: transplant failure, an episode of regained kidney function, or switched modality.
- 12. If the patient is unknown or if the patient was not dialyzed in the facility at any time during OCT 2004 through MAR 2005, send the blank form back to the ESRD Network office. Provide the name and address of the facility providing services to this patient on December 31, 2004, if known.
- 13. Patient's Ethnicity. Please verify the patient's ethnicity with the patient and check appropriate box.
- 14a.Enter the patient's height in inches or centimeters. HEIGHT MUST BE ENTERED, do not leave this field blank. You may ask the patient his/her height to obtain this information. If the patient had both legs amputated, record pre-amputation height and check YES for item 15.
- 14b.Enter the patient's weight (abdomen empty) in pounds or kilograms. Use the FIRST CLINIC VISIT weight on or after October 1, 2004.
- 15. For the purpose of this study, check NO if this patient has had toe(s), finger(s), or mid-foot (Symes) amputation; but check YES if this patient has had a below-knee, below-elbow, or more proximal (extensive) amputation prior to Mar. 31, 2005.
- 16. Check either "Yes", "No", or "Unknown" to indicate if the patient has ever been diagnosed with any type of diabetes. If **YES**, proceed to question 17.
- 17. Check either "Yes", "No", or "Unknown" to indicate if the patient was taking medications to control the diabetes during the study period. If the answer to 17 is **YES**, please check either "Yes", "No", or "Unknown" to indicate if the patient was using insulin during the study period. Study period is OCT 2004 -MAR 2005.

18. ANEMIA MANAGEMENT: For each lab question below, enter the first lab value obtained for each two-month time period: OCT-NOV 2004, DEC 2004-JAN 2005, FEB-MAR 2005. Include the date each lab was drawn. Enter NF/NP if the lab value cannot be located.

	OCT-NOV 2004	DEC 2004-JAN 2005	FEB-MAR 2005
A. First laboratory hemoglobin (Hgb) during	g/dL	g/dL	
the two-month time period (If NF/NP go to 18C)	Date:/	Date:/	Date:/
B.1.a. Did the patient have a prescription for Epoetin	Epoetin:	Epoetin:	Epoetin:
at anytime during the 28 days before the Hgb in	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
18A was drawn?	☐ Unknown	☐ Unknown	☐ Unknown
B.1.b. Did the patient have a prescription for	Darbepoetin:	Darbepoetin:	Darbepoetin:
Darbepoetin (Aranesp TM) at anytime during the	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
28 days before the Hgb in 18A was drawn?	☐ Unknown	☐ Unknown	☐ Unknown
B.2.a. What was the TOTAL PRESCRIBED Epoetin	Epoetin:	Epoetin:	Epoetin:
dose in effect prior to the 28 days BEFORE	units/28 days	units/28 days	units/28 days
the Hgb in 18A was drawn? (Instructions on page 5)			
B.2.b.What was the TOTAL PRESCRIBED Darbepoetin	Darbepoetin:	Darbepoetin:	Darbepoetin:
dose in effect prior to the 28 days BEFORE the	mcg/28 days	mcg/28 days	mcg/28 days
Hgb in 18A was drawn? (Instructions on page 5) B.3.a. How many doses per month (28 days) of	Epoetin:	Epoetin:	Epoetin:
Epoetin was prescribed?	per 28 days	20.1	non 20 days
B.3.b. How many doses per month (28 days) of	Darbepoetin:	Darbepoetin: per 28 days	Darbepoetin:
Darbepoetin was prescribed?	per 28 days	per 28 days	per 28 days
B.4.a. What was the prescribed route of admini-	Epoetin:	Epoetin:	Epoetin:
stration for Epoetin? (Check all that apply)	□ IV □ SC □ Unknown	□ IV □ SC □ Unknown	□ IV □ SC □ Unknown
B.4.b. What was the prescribed route of admini-	Darbepoetin:	Darbepoetin:	Darbepoetin:
stration for Darbepoetin? (Check all that apply)	□ IV □ SC □ Unknown	□ IV □ SC □ Unknown	□ IV □ SC □ Unknown
C. First serum ferritin concentration during the	ng/mL	ng/mL	ng/mL
two-month time period:	Date:/	Date:/	Date:/
D. First % transferrin saturation (TSAT) during the	%	%	%
two-month time period:	Date:/	Date:/	Date:/
E. Was iron prescribed at any time during the two-	☐ Yes ☐ No (go to 19)	☐ Yes ☐ No (go to 19)	☐ Yes ☐ No (go to 19)
month time period?	☐ Unknown (go to 19)	☐ Unknown (go to 19)	☐ Unknown (go to 19)
F. If yes, what was the prescribed route of iron	□ IV □ PO	□ IV □ PO	□ IV □ PO
administration? (Check all that apply).	☐ Unknown	☐ Unknown	☐ Unknown
G. If the patient was prescribed IV iron, what was			
the total dose of IV iron administered during the			
two-month time period?	mg	mg	mg
19. SERUM ALBUMIN: Enter the first serum alb	oumin obtained for each	two-month time period: (OCT-NOV 2004, DEC
2004-JAN 2005, FEB-MAR 2005. Include the date		-	· · · · · · · · · · · · · · · · · · ·
located. Check the method used (BCG/bromcresol	green or BCP/bromcres	sol purple) by the lab to d	etermine serum albu-
min. If lab method unknown, call lab to find out.			
A Find an analysis of the control of	OCT-NOV 2004	DEC 2004-JAN 2005	FEB-MAR 2005
A. First serum albumin during the two-month time period:	Date: / / /	g/dL Date://	g/dL Date: / /
B. Check lab method used: BCG = bromcresol green		Dute:	
BCP = bromcresol purple		□BCG □BCP	□ BCG □ BCP
1 1			
20. PERITONEAL DIALYSIS ADEQUACY: The		_	
measurements for this patient. Please answer questions cated. Then continue to pages 3 and 4.	uestions 20A and B FOR	REACH I WO-MONTH	I IME PERIOD INGI-
cated. Then continue to pages 3 and 4.	OCT-NOV 2004	DEC 2004-JAN 2005	FEB-MAR 2005
A. Was the patient on peritoneal dialysis at any time	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
during this period?	☐ Unknown	☐ Unknown	☐ Unknown
B. Was the patient on hemodialysis or did patient	☐ Yes ☐ No	☐ Yes ☐ No	☐ Yes ☐ No
receive a transplant at any time during this period?	☐ Unknown	☐ Unknown	☐ Unknown

21. PD ADEQUACY: The following data FIRST PD ADEQUACY determination du BER 2004 through MARCH 2005. Startin measurement in these months, enter the a results listed below that were obtained. (P more than one adequacy measurement do Please read instructions on Pages 5 and 6 section. Enter NF/NP if information cannot be section.	ring the months OCTO- g with the first adequacy dequacy measurements/ clease DO NOT record ne for any one month.) before completing this	22. PERITONEAL DIALYSIS PRE following questions – record the PD time the adequacy measures/results performed. Please read instructions this section. Enter NF/NP if informations	prescription in effect at the recorded in Question 21 were on Page 6 before completing
21. Was PD adequacy measurement done during OCT 2004-MAR 2005?	☐ Yes ☐ No ☐ Unknown		Prescription at the time adequacy was measured in 21A
21A. Date of FIRST PD adequacy measurement between 10-1-2004 to 3-31-200521B. Patient's dialysis modality when	// (mm) (dd) (yyyy)	22A. CAPD PRESCRIPTION (this includes patients with one overnight exchange using an assist device)	
adequacy measures were performed	(See definitions in instructions on p. 5)	Number of dialysis days per week	(# days)
21C. Patient's weight at the time of this adequacy assessment (abdomen empty) (Circle lbs or kgs)	lbs /kgs	Total dialysate volume infused per 24 hours Total number of exchanges	mL/24 hrs
21D. Weekly Kt/V _{urea} (dialysate and urine clearance)	·	per 24 hours (including overnight exchange)	(# exchanges)
21E. Method by which V above was calculated: Check one. (If unknown please call lab.)	□ %BW □ Hume □ Watson □ Other	22B. CYCLER PRESCRIPTION 1. Number of dialysis days per week	(# days)
21F. Weekly Creatinine Clearance (dialysate and urine clearance)	L/wk	Total dialysate volume infused per 24 hours Total dialysis times	mL/24 hrs
21G. Is this Creatinine Clearance corrected for body surface area, using standard methods? (See instructions on page 6)	□ Yes □ No □ Unknown	Total dialysis time a. Total nighttime dialysis time b. Total daytime dialysis time c. Total amount of time the patient is dry during 24 hours	hrsminhrsmin hrsmin
21H. 24 hr DIALYSATE volume (prescribed and ultrafiltration)	mL	(Note: 3a+b+c = 24 hours) 4. Nighttime Prescription	
21I. 24 hr DIALYSATE urea nitrogen :	mg/dL	(excluding last bag fill) a. Volume of a single nighttime exchange	mL/exchange
21J. 24 hr DIALYSATE creatinine:	mg/dL	b. Number of dialysis exchanges during the	
21K. 24 hr URINE volume : (If 24 hr urine was not located check NF/NP.)	mL	nighttime 5. Daytime Prescription (including last bag fill)	(#/nighttime)
21L. 24 hr URINE urea nitrogen :	mg/dL	a. Volume of a single daytime exchange	mL/exchange
21M. 24 hr URINE creatinine:	mg/dL	b. Number of dialysis exchanges during the	
21N. SERUM BUN at the time this PD adequacy assessment was done	mg/dL	daytime 6. Does the cycler prescription	(#/daytime)
210. SERUM creatinine at the time this PD adequacy assessment was done	mg/dL	described above include TIDAL dialysis?	□ Yes □ No □ Unknown
21P.1. Most recent 4 hour dialysate/plasma creatinine ratio (D/P Cr) from a peritoneal equilibration test (PET).2. Date of most recent D/P Cr	/	22C. Based on the adequacy result from questions 21A-O,1. Was the collection repeated?2. Was the prescription changed?	☐ Yes ☐ No ☐ Unknown ☐ Yes ☐ No ☐ Unknown

23. PD ADEQUACY: The following data are requested for the SECOND PD ADEQUACY determination during the months NOVEMBER 2004 through MARCH 2005. Starting with the second adequacy measurement in these months, enter the adequacy measurements/results listed below that were obtained. (Please DO NOT record more than one adequacy measurement done for any one month.) Please read instructions on Page 6 before completing this section.		Enter NF/NP if information cannot be located. 24. PERITONEAL DIALYSIS PRESCRIPTION: For the following questions – record the PD prescription in effect at the time the adequacy measures/results recorded in Question 23 were performed. Please read instructions on Page 6 before completing this section. Enter NF/NP if information cannot be located.		
23.	Was second PD adequacy measurement done during 11-1-2004 to 3-31-2005?	□ Yes □ No □ Unknown		Prescription at the time adequacy was measured in 23A
23A.	Date of SECOND PD adequacy measurement between 11-1-2004 to 3-31-2005	// (mm) (dd) (yyyy)	24A. CAPD PRESCRIPTION (this includes patients with one overnight exchange using an assist device)	
23B.	Patient's dialysis modality when adequacy measures were performed	☐ CAPD ☐ Cycler (See definitions in instructions on p. 5)	Number of dialysis days per week	(# days)
23C.	Patient's weight at the time of this adequacy assessment (abdomen empty) (Circle lbs or kgs)	lbs /kgs	2. Total dialysate volume infused per 24 hours3. Total number of exchanges per 24 hours (including	mL/24 hrs
23D.	Weekly Kt/V _{urea} (dialysate and urine clearance)	·	overnight exchange) 24B. CYCLER PRESCRIPTION	(# exchanges)
23E.	Method by which V above was calculated: Check one. (If unknown please call lab)	□ %BW □ Hume □ Watson □ Other	Number of dialysis days per week Total dialysate volume infused	(# days)
23F.	Weekly Creatinine Clearance (dialysate and urine clearance)	L/wk	per 24 hours 3. Total dialysis time	mL/24 hrs hrs min
23G.	Is this Creatinine Clearance corrected for body surface area, using standard methods? (See instructions on page 6)	□ Yes □ No □ Unknown	a. Total nighttime dialysis time b. Total daytime dialysis time c. Total amount of time the patient is dry during 24 hours	hrsmin
23H.	24 hr DIALYSATE volume (prescribed and ultrafiltration)	mL	(Note: 3a+b+c = 24 hours) 4. Nighttime Prescription (excluding last bag fill)	
23I.	24 hr DIALYSATE urea nitrogen :	mg/dL	a. Volume of a single nighttime exchange	mL/exchange
23J.	24 hr DIALYSATE creatinine :	mg/dL	b. Number of dialysis exchanges during the	
23K.	24 hr URINE volume : (If 24 hr urine was not located check NF/NP.)	mL	nighttime 5. Daytime Prescription (including last bag fill) a. Volume of a single	(#/nighttime)
23L.	24 hr URINE urea nitrogen :	mg/dL	daytime exchange b. Number of dialysis	mL/exchange
23M.	24 hr URINE creatinine :	mg/dL	exchanges during the daytime	(#/daytime)
23N.	SERUM BUN at the time this PD adequacy assessment was done	mg/dL	6. Does the prescription described above include TIDAL dialysis?	Yes □ No □ Unknown
230.	SERUM creatinine at the time this PD adequacy assessment was done	mg/dL	24C. Based on the adequacy	
D/P of time value	If the patient has had a 4-Hour Cr performed from a PET since the of the first adequacy test, enter the and the date the test was performed. a performed, enter NP.	(mm) / (dd) / (yyyy)	result from questions 23A-O, 1. Was the collection repeated? 2. Was the prescription changed?	☐ Yes ☐ No ☐ Unknown ☐ Yes ☐ No ☐ Unknown

INSTRUCTIONS FOR COMPLETING QUESTIONS 18 THROUGH 20 (continued from page 1): To answer questions 18 through 20 review the patient's clinic or facility medical record FOR EACH TWO-MONTH TIME PERIOD: OCT 1, 2004 through NOV 30, 2004, DEC 1, 2004 through JAN 31, 2005, and FEB 1, 2005 through MAR 31, 2005. Do not leave any items blank. Enter NF/NP if the following information cannot be located.

- **18A:** Enter the patient's FIRST hemoglobin (Hgb) value determined by the laboratory for EACH two-month time period. Include the date the lab was drawn. If not found or not performed during the two-month time period, enter NF/NP.
- **18B.1:** Check the appropriate box to indicate if the patient had a prescription for EPOETIN or DARBEPOETIN (Aranesp[™]) at anytime during the 28 days BEFORE the date of the hemoglobin value in 18A. If the answer is NO to both, skip to question 18C.
- **18B.2:** If **Epoetin** was prescribed, enter the **TOTAL PRESCRIBED 4-WEEK** Epoetin dose, **not the administered dose**, in units/28 days given prior to the 28 days before the date of the hemoglobin value in 18A, even if the patient did not receive the dose. This includes any prescribed dose not given because of an error or the patient missed a dose, etc. Enter "0" if the patient was on "Hold". (For the purposes of this collection, a "Hold" order will be considered a 0 unit prescribed dose.)
 - If **Darbepoetin** (Aranesp[™]) was prescribed, enter the **TOTAL PRESCRIBED 4-WEEK** Darbepoetin dose, **not the administered dose**, in micrograms/28 days prior to the 28 days before the date of the hemoglobin value in 18A, even if the patient did not receive the dose. This includes any prescribed dose not given because of an error or the patient missed a dose, etc. Enter "0" if the patient was on "Hold". (For the purposes of this collection, a "Hold" order will be considered a 0 mcg/month prescribed dose.)
- **18B.3:** Enter the number of doses per month (28 days) that Epoetin was prescribed **OR** the number of doses per month (28 days) Darbepoetin was prescribed.
- **18B4:** Check the appropriate box to indicate the prescribed route of administration for Epoetin or for Darbepoetin (intravenous [IV] or subcutaneous [SC]). If the patient received Epoetin or Darbepoetin IV and SC during the month, please check both boxes.
- **18C:** Enter the patient's FIRST serum ferritin concentration recorded EACH two-month time period. Include the date the lab was drawn. If a serum ferritin concentration test was not found or not performed every two-month time period, enter the value for the time period when performed and record NF/NP for the other time period(s).
- **18D:** Enter the patient's FIRST % transferrin saturation (TSAT) recorded EACH two-month time period. Include the date the lab was drawn. If a % transferrin saturation (TSAT) test was not found or not performed every two-month time period, enter the value for the time period when performed and record NF/NP for the other time period(s).
- 18E: Check either "Yes", "No", or "Unknown" to indicate if iron was prescribed at any time during the two-month time periods.
- **18F**: If the answer to 18E is "Yes", please check the appropriate space to indicate the route of iron administration (intravenous [IV] or by mouth [PO]) for each two-month time period. Check every route of administration that was prescribed each time period.
- **18G:** If the patient was prescribed IV iron, add together all doses that were given during each two-month time period OCT-NOV 2004, DEC 2004-JAN 2005, FEB-MAR 2005 and enter the TOTAL dose of IV iron (in mg) **administered**.
- 19A: Enter the patient's FIRST serum albumin value recorded EACH two-month time period. Include the date the lab was drawn.
- **19B:** Check the method used by the laboratory to determine the serum albumin levels (bromcresol green or bromcresol purple). If you do not know what method the laboratory used, call the laboratory to find out this information.
- **20A:** Check the appropriate response (yes or no) for each two-month time period, indicating whether this patient was on peritoneal dialysis at any time during each of the specified two-month time periods.
- **20B:** Check the appropriate response (yes or no) for each two-month time period, indicating whether this patient was on hemodialysis or received a transplant at any time during each of the specified two-month time periods.

INSTRUCTIONS FOR COMPLETING QUESTIONS 21 THROUGH 24: To answer questions 21 through 24 review the patient's clinic or facility medical record and provide the requested data for each of the first two adequacy measurements and PD prescriptions in effect at the time the adequacy measurements were done during the months OCTOBER 2004 through MARCH 2005. DO NOT record more than one adequacy measurement done for any one month.

- 21. Check "yes", "no", or "unknown" to indicate if a PD adequacy measurement was done between OCT 1, 2004 through MAR 31, 2005.
- **21A:** Enter the first date on which PD adequacy of dialysis was assessed for the first measure obtained between OCT 1, 2004 through MAR 31, 2005. DO NOT record more than one PD adequacy measurement done for any one month.
- 21B: Check the modality of peritoneal dialysis this patient was on at the time the corresponding adequacy of dialysis measure was obtained. CHECK either CAPD or Cycler. CAPD includes patients with one overnight exchange using an assist device. Cycler includes patients using an automated device for exchanges.
- 21C: Enter the patient's weight (with abdomen empty) at the clinic/facility visit when the adequacy measurements were obtained, circle lbs or kgs as appropriate.
- 21D: Enter the TOTAL WEEKLY Kt/V urea for the first adequacy measurement indicated on 21A between OCT 1, 2004 through MAR 31, 2005. NOTE: Whether or not you have a value for weekly Kt/V rea for this adequacy assessment, please complete the corresponding values for questions 21H-21I for 24-hour dialysate volume, 24-hour dialysate urea and question 21K for 24-hour urine volume. If the patient is not anuric, complete the corresponding value for question 21L, the 24-hour urine urea, if this value is available. Enter NF/NP for all values when not found or not performed. If your unit calculates a daily Kt/V urea, multiply this result by 7.0 and enter the result in the appropriate space(s). If this patient did not dialyze each day of the week, then multiply the daily Kt/V urea by the number of days the patient did dialyze.

- 21E: Check the method used to calculate the V in the Kt/V_{urea} measurement; % BW = percent of body weight; Hume and Watson are two nomograms used to calculate V based on several of these parameters weight, height, age, gender. If method used to calculate V is not known, please call lab to ascertain method. Please do not leave blank.
- 21F: Enter the TOTAL WEEKLY CREATININE CLEARANCE for the first adequacy measurement indicated on 21A between OCT 1, 2004 through MAR 31, 2005. NOTE: Whether or not you have a value for weekly creatinine clearance for this adequacy assessment, please complete the corresponding values for questions 21H and 21J for 24-hour dialysate volume, 24-hour dialysate creatinine and question 21K for 24-hour urine volume. If the patient is not anuric, complete the corresponding value for question 21M, the 24-hour urine creatinine, if this value is available. Enter NF/NP for all values when not found or not performed. If your unit calculates a daily creatinine clearance multiply this result by 7.0 and enter the result in the appropriate space(s). If this patient did not dialyze each day of the week, then multiply the daily creatinine clearance by the number of days the patient did dialyze.
- 21G: Check Yes or No if the weekly creatinine clearance was normalized for body surface area (i.e., the result is multiplied by 1.73m² and divided by the patient's body surface area [BSA]). Standard methods for establishing BSA are: the DuBois and DuBois method; the Gehan and George method; and the Haycock method. If you do not have this information, call the laboratory that provided the creatinine clearance value for this information. Please do not leave blank.
- 21H, I, and J: Enter the measured 24-hour DIALYSATE volume (includes prescribed and ultrafiltration volumes), urea nitrogen and creatinine obtained for the first adequacy measurement obtained between OCT 1, 2004 through MAR 31, 2005. If a 24-hour dialysate volume, urea nitrogen or creatinine were NOT measured in this time period, enter NF/NP (for not found or not performed) in the appropriate spaces. ONLY ENTER ACTUAL MEASURED 24-HOUR DIALYSATE VOLUME. DO NOT ENTER AN EXTRAPOLATED DIALYSATE VOLUME. Please report the 24-hour dialysate volume as a combination of the prescribed fill volume and the ultrafiltration volume.
- 21K, L, and M: Enter the 24-hour URINE volume, urea nitrogen and creatinine obtained for the first adequacy assessment obtained between OCT 1, 2004 through MAR 31, 2005. ONLY ENTER ACTUAL MEASURED 24-HOUR URINE VOLUME—DO NOT ENTER AN EXTRAPOLATED URINE VOLUME. If 24-hour urine volume was not collected check NF/NP for not found or not performed. If NF/NP is checked, SKIP TO QUESTION 21N. If urine urea nitrogen and creatinine were not found or not measured in this time period, enter NF/NP in the appropriate spaces.
- **21N, O:** Enter the SERUM BUN and SERUM CREATININE obtained for the first PD adequacy assessment obtained between OCT 1, 2004 through MAR 31, 2005. Enter NF/NP in the appropriate spaces for all time periods when not found or not performed.
- 21P: (1) Enter the most recent four hour dialysate/plasma creatinine ratio (D/P Cr) from a peritoneal equilibration test (PET).(2) Enter the date of the most recent D/P Cr. The test result and corresponding date of the most recent D/P Cr may be outside the 6-month study period. If never found or performed record NF/NP. Date cannot be after 3/31/04 or prior to the first day of peritoneal dialysis.
- 22: To respond to questions 22A through 22C record the peritoneal dialysis (PD) prescription in effect at the time of the first adequacy measures/results recorded in question 21 performed between OCT 1, 2004 through MAR 31, 2005. Complete all items that are applicable.
- 22A: CAPD PRESCRIPTION. Use the CAPD prescription category for all CAPD patients including patients with one overnight exchange using an assist device. (1) Enter the number of days per week for which this patient underwent peritoneal dialysis. (2) Enter the total dialysate volume in mL infused over a 24-hour period and (3) the number of exchanges per 24-hour period PRESCRIBED for CAPD at the time the first adequacy measurements were performed.
- 22B: CYCLER PRESCRIPTION. (1) Enter the number of days per week for which this patient underwent peritoneal dialysis. (2) Enter the total dialysate volume in mL infused over a 24-hour period. (3) Total dialysis time (Note: 2a+b+c = 24 hours): (3a) Enter the total nighttime dialysis time, (3b) the total daytime dialysis dwell time, and (3c) the total amount of time the patient is dry during 24 hours. If the patient is never dry in 24 hours enter a value of 0 hours. The hours entered in 2a, b, & c should equal 24 hours. (4) Nighttime Prescription (excluding last bag fill): (4a) Enter the volume of a single nighttime exchange and (4b) the number of dialysis exchanges during the nighttime PRESCRIBED for CYCLER NIGHTTIME at the time the first adequacy measurements were performed. Include in the CYCLER NIGHTTIME prescription only those exchanges provided by an automated device. DO NOT include in this category any last bag fill or option that the patient carries after unhooking from the cycler or any daytime dwells as these exchanges are recorded in the DAYTIME PRESCRIPTION information. If different inflow volumes are used, report average inflow volume. (5) Daytime Prescription (including last bag fill): (5a) Enter the volume of a single daytime exchange and (5b) the number of dialysis exchanges during the daytime PRESCRIBED for CYCLER DAYTIME at the time the first adequacy measurements were performed. Include in the CYCLER DAYTIME prescription only those exchanges performed after the patient disconnects from the cycler and/or a last bag fill or option that the patient carries during the day. ANY OTHER EXCHANGES PERFORMED USING THE CYCLER SHOULD BE INCLUDED UNDER CYCLER NIGHTTIME PRESCRIPTION. If different inflow volumes are used, report average inflow volume.
 - (6) Check the appropriate box, "yes" or "no", indicating whether this patient's peritoneal dialysis prescription included TIDAL dialysis. TIDAL patients are cycler patients for whom the dialysate is partially drained between some exchanges.
- **22C:** (1) Check the appropriate box, "yes" or "no", indicating whether the adequacy collection was repeated, and (2) check the appropriate box "yes" or "no", indicating whether the prescription changed following the first PD adequacy measurement performed between OCT 1, 2004 through MAR 31, 2005.
- 23: Check "yes", "no", or "unknown" to indicate if a PD adequacy measurement was done between NOV 1, 2004 through MAR 31, 2005.
- **23A-O:** See instructions for 21A-21O and complete for second PD adequacy measurement performed between NOV 1, 2004 through MAR 31, 2005. DO NOT record more than one PD adequacy measurement done for any one month.
- 23P: Record the value and date of the patient's PET if a new one was performed since the time of the first adequacy test. If not performed enter NP.
- **24A-C:** See instructions for 22A-22C and complete for the peritoneal dialysis (PD) prescription in effect at the time of the second adequacy measures/results recorded in question 23 performed between NOV 1, 2004 through MAR 31, 2005.